### Introducing The World's **First**

Easily Sand Difficult Contours With

Designed to Sand Almost

> Any Shape!











Marine •

Auto •

**Drywall** •

Wood •



Bogart, Georgia 30622 U.S.A.

Call For A Distributor Near You 706.354.6782 800.752.9863

www.soft-sanders.com



U.S. and Foreign Patents Pending

Part# 0701 5" Soft-Sanders™ Set includes: 6 Blocks of 3 different densities





Bogart, Georgia 30622 U.S.A.

Call For A Distributor Near You 706.354.6782 800,752.9863

www.soft-sanders.com
© 2006 All Rights Reserved

Designed for Plaster, Metal, Fiberglass & Wood



Marine



Auto



Drywall



Wood

### Designed to use with adhesive-backed sandpaper. Also, works great with non-adhesive wet or dry sandpaper.

Every single curve and surface on each block has been designed for a purpose.

- Soft, rounded edges virtually eliminate gouging. Blocks glide over varying surface levels like a carwash mitt without flipping over.
- Zero-fatigue blocks are super lightweight and designed to be comfortable no matter how you hold them.
- Blocks are soft & pliable yet extremely durable plus they are resistant to most solvents.
- Tapered edges of blocks allow you to sand up to and underneath those hard-to-access areas.
- Corner-N'-Cove<sup>™</sup> block with its offset handle allows for a clear view of the surface being sanded.
- Six blocks of three different densities vary in firmness and yet all are soft enough to be distorted or compressed into places that are hard to sand.









Conform-A-Curve™

Example of convex curvature

- Place sandpaper (grit down)
   against the Contour or desired
   surface curvature. Place one
   end of the sanding block against
   starting end of sandpaper.
- While continuing to hold the starting end of the block down against surface, slowly apply downward pressure to the remainder of the block, pushing the block onto the sandpaper.
- At this point the block and sandpaper will conform to the desired surface curvature.
- The adhesive of the sandpaper in turn holds the soft block in the desired position.

U.S. and Foreign Patents Pending

Recommended Sandpaper Size: 2 3/4" X 5" (70mm x 127mm) adhesive-backed

Taking Quality to the Next Level™

BR11005

# SUPER-FLEX®

## **SANDPAPER**

L			
Γ	Part #	Grit	Sheets/Pack
Г	0230	40	4
	0232	60	4
	0233	80	4
	0237	180	4
	0240	40	8
10"	0242	60	8
10	0243	80	8
	0247	180	8
	0250	40	12
- 1	0252	60	12
	0253	80	12
	0257	180	12
	0260	40	24
	0262	60	24
- 1	0263	80	24
	0267	180	24

Sandpaper

23/4" x 10"

23/4" x 15"

SUPER-FLEX\*

SUPER-FLEX®

	Part #	Grit	Sheets/Pack
	0330	40	4
	0332	60	4
	0333	80	4
	0337	180	4
	0340	40	8
15"	0342	60	8
10	0343	80	8
	0347	180	8
	0350	40	12
	0352	60	12
	0353	80	12
	0357	180	12
	0360	40	24
	0362	60	24
	0363	80	24
	0367	180	24

Sandpaper



BR629

Specially designed for **STYLE-LINE™** Contour Sanders



SUPER-FLEX \*
Sandpaper doesn't
load up and lasts
up to five times
longer than ordinary sandpaper

### STYLE-LINER"

Multi-Contour Sander (fully adjustable) 2-3/4" x 10" Sheets

This super flexible J - weight sandpaper will not tear or crack while being applied



SUPER-FLEX \*
Sandpaper
specially
formulated adhesive,
cloth-backed
sandpaper enables
paper to
conform to
stick for
accurate line
definition

#### STYLE-STYX"

Contoured Sanding Sticks (specific) 2-3/4" x 5" Sheets 2-3/4" x 10" Sheets 2-3/4" x 15" Sheets